

AUTOMOTIVE DEALERSHIP LIGHTING



SILICONE MICRO OPTICS ADVANTAGE

SAVE THOUSANDS IN CONSTRUCTION COSTS	
REDUCE	GAIN
PolesFixturesInstallation Costs	 High uniform light levels Front line and display area Shopper Friendly feature Recessed concealed Silicone Micro Optics reduce glare Customers see sparkling real colors and purchase No distracting glare from other fixtures











FORM & FUNCION MEET RELIABILITY

RELIABILITY

- Best voltage variance resistant components
- L70: 173,000

AUTOMOTIVE OPTICAL SYSTEMS

SILICONE MICRO OPTICS

- Do not Yellow, Oxidize, Brittle or Crack
- IP67 Protective Light Engine Seal
- More heat resistant than PMMA Acrylic or Polycarbonate optics
- IK10 rated; vandal proof.

DARK SKY COMPLIANT

NLS Luminaires thrive next to residential complexes, commercial or private properties. Our full perimeter cut-off design keeps light levels exactly where they need to be

ENERGY SAVINGS

NLS Luminaires provide equivalent foot candles while using less wattage than competitors

UNIFORM LIGHT DISTRIBUTION

Optical system provides vertical and horizontal lumens creating an even light distribution

AMERICAN QUALITY

NLS fixtures are designed, tooled, manufactured and assembled in the United States, adhering to the strictest Made in the U.S.A. requirements. DLC and UL listed



AUTOMOTIVE APPLICATIONS

FRONT ROW HIGH ILLUMINATION SALES LOT



SECURITY & SERVICE



ACCENT FLOOD LIGHTING & WALL WASH

NVF-1 20W - 45W NVF-2 50W - 80W



SERVICE DRIVE

VSS-S-CM 18W - 106W



PATHWAY SAFETY LIGHTING **NV-B**OLLARD 20W - 45W



WHY SILICONE OPTICS?

THE LASTING LED LIGHTING SOLUTION

NLS Lighting Silicone Micro Optical System technology takes quality and performance to the highest level.

Vandal resistant, superior clarity—Micro Optics have become the best and lasting solution in the industry.

BENEFITS

- SILICONE optic withstands harshest weather and dirt conditions
- Exceptional thermal and UV resistance
- Produces superior 96% clarity
- Rated to 150° C (acrylic rated to 85° C)
- Ecologically friendly—no glare
- No yellowing, cracking, brittleness, fading, chalking
- Vandal-resistant

6,000 Hrs. UV Aging (**65**° C

• House Side Shield (HSS) for Full Cutoff at dealers property line

SILICONE POLYCARBONATE ACRYLIC



















• UL 8750



for Universal Pole Mounting

LISTINGS

• Certified to UL 1598

• CSA C22.2 No. 250.0

• IP65 / IP67 Rated

• DesignLights Consortium®



• DesignLights Consortium Premium®



• 3G Vibration Rated per ANSI C136.31-2010






















INTELLIGENT LIGHT + PERFORMANCE®

NLS Lighting, LLC 701 Kingshill Place, Carson, CA 90746 Tel. (310) 341.2037 | nlslighting.com